



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="https://www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.





If you or someone you care about has ATTR-CM, it's important to learn as much as you can. **ATTR-CM is also known as transthyretin cardiac amyloidosis.** It's a rare and serious condition that can affect the heart and other parts of the body.

It is a life-threatening disease that gets worse over time. That's why it's important to start treatment as soon as possible.

This brochure will help you learn more about ATTR-CM and VYNDAMAX. VYNDAMAX is a treatment taken once a day, every day.

## Look inside

Find answers to these common questions:

What is ATTR-CM?	>
What is VYNDAMAX?	>
How can VYNDAMAX help?	>
How do I take VYNDAMAX?	>
How do I get started on VYNDAMAX?	>
Where can I get financial assistance or support?	>
Share your story	>

Home ATTR-CM?



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.








# ATTR-CM, or transthyretin cardiac amyloidosis, is a rare and serious condition that affects the heart

ATTR-CM is a type of amyloidosis. That means it is a condition caused by proteins in the body that change shape or fold incorrectly. When these proteins don't work correctly, they can build up in different parts of the body. When they build up in the heart, it can cause ATTR-CM.

#### There are 2 types of ATTR-CM:

- Wild-type can happen due to aging.
- Hereditary happens because of genes you inherit.


## How ATTR-CM affects your heart



Your liver produces transthyretin (TTR).

Welcome

TTR is a protein that carries a hormone and vitamin A throughout the bloodstream.



2

When you have ATTR-CM, the TTR protein becomes unstable and misfolds.



3

Over time, the misfolded proteins build up in the heart. This can cause the muscles in the heart to get thick and stiff, which can lead to heart failure.

What is VYNDAMAX?

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.


You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.







## Here's how VYNDAMAX works inside your body:




## Attach

VYNDAMAX attaches to the TTR protein.



#### **Stabilize**

VYNDAMAX stabilizes TTR, helping it stay together.



#### Maintain

By stabilizing TTR, VYNDAMAX can help slow the progression of ATTR-CM.

## VYNDAMAX delivers near complete stabilization of TTR

VYNDAMAX works by binding to the TTR protein, stabilizing it and preventing it from breaking down.

A model using data from a clinical trial, which studied VYNDAMAX, predicted how much of the TTR protein in human plasma is occupied by VYNDAMAX. It showed that VYNDAMAX can stabilize more than 90% of the TTR protein.

Learn more about how VYNDAMAX works at HowVYNDAMAXWorks.com

What is ATTR-CM?

How can VYNDAMAX help?



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.







## VYNDAMAX can help patients live longer

VYNDAMAX\* was studied in the Tafamidis in Transthyretin Amyloidosis Cardiomyopathy Clinical Trial (known as ATTR-ACT).

The study tested if VYNDAMAX could help people with ATTR-CM live longer and reduce hospitalizations due to heart problems compared to placebo. The study also tested the impact of VYNDAMAX on quality of life and ability to function.

In the ATTR-ACT study, patients taking VYNDAMAX lived longer than those taking placebo.

#### Survival rate at 30 months

VYNDAMAX 71%

PLACEBO 57%

AFTER 2<sup>1/2</sup> YEARS,

more people were alive taking VYNDAMAX than placebo



VYNDAMAX works to help slow down the disease. Even though you may not feel an effect on your symptoms, it's important to keep taking VYNDAMAX as prescribed.

\*The clinical studies of VYNDAQEL® (tafamidis meglumine) supported the approval of VYNDAMAX® (tafamidis), which contains the same active ingredient.

What is VYNDAMAX?









(Continued)

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.





# VYNDAMAX can help lower the risk of hospitalizations related to heart problems

In the study, patients taking VYNDAMAX had fewer heart-related hospitalizations than those in the placebo group.

32% LOWER RISK

of hospitalizations related to heart problems



#### CARDIOLOGIST RECOMMENDED

VYNDAMAX is the only treatment with a Class 1\* recommendation for ATTR-CM in guidelines from the American College of Cardiology, American Heart Association, and the Heart Failure Society of America.

\*Class 1 guidelines are given when there's strong evidence or general agreement that a treatment is beneficial, useful, and effective. The above recommendation is from the 2022 guidelines. As of September 2024, VYNDAMAX is the only treatment approved for ATTR cardiac amyloidosis.









(Continued)

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.







## VYNDAMAX can help slow a decline in quality of life

In the ATTR-ACT study at 30 months, people taking VYNDAMAX saw a slower decline in their quality of life compared to people taking placebo. The measure of quality of life included physical abilities and social activities. This effect was noticed in as little as 6 months, and lasted throughout the study.\*

The study used a 23-question survey called the Kansas City Cardiomyopathy Questionnaire (KCCQ), which includes questions about mental health, shortness of breath, fatigue, swollen feet or ankles, and ability to do social and physical activities.

\*Patients in the VYNDAMAX and placebo groups had worse KCCQ overall summary scores at month 30 than at the start of the study.

At the end of the 30-month clinical trial, compared to people not on treatment (placebo group), people taking VYNDAMAX reported:



Better Quality of Life



Fewer Heart-related Symptoms



More Comfort
Performing
Daily Activities

(eg, mental health status, enjoyment of life)

(eg, shortness of breath, fatigue, swollen feet or ankles), and they were less bothered by those symptoms

(eg, ability to perform social and physical activities)









(Continued)

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.








## VYNDAMAX showed a positive result in the 6-minute walk test

The 6-minute walk test measures heart function and exercise capacity.



At 30 months, patients taking VYNDAMAX were able to walk 83 yards farther than patients not taking VYNDAMAX (placebo).\*

\*Patients in the VYNDAMAX and placebo groups had worse 6-minute walking distance than at the start of the study.



How do I take VYNDAMAX?

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.


There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.









VYNDAMAX offers convenient once-a-day dosing\*

- A single 61-mg, once-daily capsule
- Taken by mouth
- VYNDAMAX requires no additional lab testing or monitoring

It is important to take VYNDAMAX every day, as prescribed.

Do not stop taking VYNDAMAX without talking to your doctor.

**VYNDAMAX capsules should be swallowed whole and never crushed or cut.** If you miss a dose, take it as soon as you remember. If it is time for your next dose, skip the missed dose and take the next dose at your regularly scheduled time. Do not take 2 doses at the same time.

Remember that even if you don't feel VYNDAMAX working, it's important to take VYNDAMAX as prescribed by your doctor. That's because ATTR-CM is a disease that gets worse over time.

VYNDAMAX works to help slow the progression of disease by slowing the buildup of dangerous, misfolded TTR protein.

There were no known side effects that happened during treatment with VYNDAMAX.

\*The recommended dosage is either VYNDAMAX 61 mg (one 61-mg tafamidis capsule) or VYNDAQEL 80 mg (four 20-mg tafamidis meglumine capsules) taken by mouth once a day.

How can VYNDAMAX help?

How do I get started on VYNDAMAX?



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.


There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.





## 4 steps to start and stay on VYNDAMAX





## Doctor prescribes VYNDAMAX

Your doctor will send your VYNDAMAX prescription to a specialty pharmacy. A specialty pharmacy ships medication right to your home.



**Expect a call from** the specialty pharmacy

Remember to take VYNDAMAX once a day, every day, as prescribed by your doctor.

How do I take **VYNDAMAX?** 









Step 2



### **IMPORTANT SAFETY** INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <u>www.fda.gov/medwatch</u>, or call 1-800-FDA-1088.

Click here for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.


How do I take

Where can I get









## Confirm insurance coverage

- The specialty pharmacy will contact your insurance plan to confirm your coverage for VYNDAMAX. They will check on co-payment amounts and other financial assistance options
- The specialty pharmacy will review coverage and discuss those financial assistance options with you over the phone

Remember to take VYNDAMAX once a day, every day, as prescribed by your doctor.

Step 1 Step 3



## **IMPORTANT SAFETY** INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <u>www.fda.gov/medwatch</u>, or call 1-800-FDA-1088.











## Receive VYNDAMAX

Once your insurance is approved, the specialty pharmacy will work with you to plan the delivery of VYNDAMAX.

Remember to take VYNDAMAX once a day, every day, as prescribed by your doctor.

Step 2









Step 4



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.



## 4 steps to start and stay on VYNDAMAX






## Continuing VYNDAMAX

- Your doctor will tell you what clinical and insurance requirements are needed to continue on VYNDAMAX
- The specialty pharmacy will follow up with you and your doctor to make sure your information is up to date

Remember to take VYNDAMAX once a day, every day, as prescribed by your doctor.

Step 3









Where can I get financial support?



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.






## Need support along your medication access journey?

With a valid prescription, you can request support from a Patient Access Coordinator (PAC). A PAC is a Pfizer employee who's there to help you navigate your prescribed medication.

Your PAC can help you:

- understand your insurance coverage and out-of-pocket expenses
- streamline communications
- connect to VyndaLink, as needed



To request PAC support, visit <a href="https://www.myPACsupport.com">www.myPACsupport.com</a>

2025 Medicare Part D Changes

**Co-pay Savings Program** 

How do I get started on VYNDAMAX?







(Continued)

## **IMPORTANT SAFETY** INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.







## 2025 Medicare Part D changes

There are now 3 phases of Medicare Part D coverage





3

**Yearly Deductible** 

**Initial Coverage** 

**Catastrophic Coverage** 

During each phase, you'll pay your health plan's premium. What you pay depends on the plan you choose and the phase of Medicare you are in. These phases apply to **all your prescription medicines** that you get from a pharmacy.

\$2,000 is the annual out-of-pocket (OOP) cap for your covered Part D medicines. Once you meet this cap, you'll pay \$0 for all of your covered prescription medicines for the rest of the calendar year.



The new Medicare Prescription Payment Plan\*† for 2025 allows you the option to spread the costs of your medicines over a calendar year. The program is voluntary, and you can opt in during the plan year.

#### To learn more about Medicare, visit <u>www.medicare.gov</u>

\*This program only applies to drugs covered by Medicare Part D. Most medications you get from a pharmacy and take at home are covered by Part D. Please contact your health plan if you are unsure if your medications are covered by your Part D plan.

<sup>†</sup>There is no fee to join the program.

Co-pay Savings Program



Patient Access Coordinator (PAC)



## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.







# Vyndamax® (tafamidis) 61 mg capsules

# Co-pay Savings Program available for eligible patients with commercial insurance

If you have commercial insurance, you may be eligible to pay as little as \$0 per month through the Co-pay Savings Program.\*

To check eligibility and activate the co-pay savings card:

Self-enroll at:

VYNDAMAX.com/financial-assistance



Call VyndaLink® at **1-888-222-8475** 



\*Limits, terms, and conditions apply. Please visit VyndaLink.com/terms for full terms and conditions of the Co-pay Savings Program.

2025 Medicare Part D Changes

Patient Access Coordinator (PAC)

**Share your story** 

## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.








- "Once I learned that VYNDAMAX can help to slow the progression of ATTR-CM, I was eager to begin the treatment journey."
- -Stan, a real patient taking VYNDAMAX

## Learn more and share your experience at **ShareYourVyndaStory.com**

These organizations can provide you with more information, connect you with support groups, and let you hear from other people with the condition\*:







amyloidosis.org

amyloidosissupport.org

arci.org

\*These groups and websites are neither owned nor controlled by Pfizer. Pfizer does not endorse, and is not responsible for, the content or services they provide.

Where can I get financial support?





## IMPORTANT SAFETY INFORMATION AND INDICATION

#### What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="www.fda.gov/medwatch">www.fda.gov/medwatch</a>, or call 1-800-FDA-1088.

Click here for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

PP-VDM-USA-1901 © 2024 Pfizer Inc. All rights reserved. October 2024

